

An order has been placed with Laboratories TVM and we are expecting delivery at the end of next week. You can now apply for an SIC and submit it to NVS. We will supply as soon as we have received the delivery from TVM

If you wish to set up the product on your practice management system, the NVS product details are:

- NVS Code 360600
- Description Vitamin K1 Comprime Tabs 50mg
- Pack Size Pk 14
- Price £8.90 + VAT

Please note this product is non discountable.

I apologise for such a detailed letter, but we felt it necessary to furnish practices with all the information they will need, especially, to those practices using the SIC ordering website for the first time.

If you have any questions please do not hesitate to contact NVS Customer Order line on 01782 775555 or visit the NVS website at www.vetwholesaler.co.uk

VITAMINE K1 COMPRIMES TVM

Tablets for dogs, phytonadione 50 mg/tablet
Oral treatment of intoxication by anticoagulant rodent poison



Qualitative and quantitative composition:

Phytonadione	50 mg
Quinoline yellow (E104)	0.17 mg
Titanium dioxide (E171)	1.85 mg
Tartrazine (E102)	0.01 mg
Excipient	to 1 tablet

Pharmacological properties:

Pharmacodynamic properties

Vitamin K₁ is a cofactor necessary for the synthesis of K dependent coagulation factors (factors II, VII, IX and X). During this synthesis, vitamin K₁ is converted into vitamin K₁ epoxide. It is then recycled back into vitamin K₁. Antivitamin K molecules inhibit the recycling of vitamin K₁ epoxide, causing a risk of uncontrolled bleeding through the absence of functional factors II, VII, IX and X synthesis.

Pharmacokinetics particulars

After oral administration, vitamin K₁ is rapidly absorbed in the dog.

Indications for use:

In dogs: treatment of anticoagulant poisoning, following parenteral treatment.

Amount(s) to be administered and administration route:

For oral use.

5 mg vitamin K₁ per kg bodyweight per day, i.e. 1 tablet per 10 kg per day, once a day, during 21 days, in accordance with the following dosages:

- dog < 2.5 kg : ¼ tablet
- dog from 2.5 to 5 kg : ½ tablet
- dog from 5 to 7.5 kg : ¾ tablet
- dog from 7.5 to 10 kg : 1 tablet
- dog > 10 kg : ¼ tablet per 2.5 kg

The treatment by oral route will be undertaken within 12 hours after the end of the emergency treatment by the intravenous route (2 intravenous injections of 5 mg vitamin K₁ per kg bodyweight given 12 hours apart).

This duration of treatment can be extended for as long as the anticoagulant persists in the body. Quick time will be measured 48 hours after last administration, if it is prolonged, the treatment is maintained until the Quick time is returned normal 48 hours after cessation of treatment.

Overdose (symptoms, emergency procedures, antidotes):

No intolerance sign were displayed at 3 times the therapeutic dose, administered during 3 weeks.

Use during pregnancy or lactation:

In the absence of data, the risk is unknown. However Vitamin K1 crosses the placental barrier.

Special precautions for storage:

Protect from light and store below 25 °C.

Special precautions for the disposal of unused veterinary medicinal product or waste materials derived from the use of such products

Dispose of any unused product and empty containers in accordance with guidance from your local waste regulation authority.

Legal status:

Medicinal product for veterinary use.

Marketing Authorization Holder:

Laboratoire TVM
57 rue des Bardines
63370 LEMPEDES
France

Marketing Authorization Number for France:

FR/V/9249299 G/1998

Box of 2 blisters of 7 quarter-divisible tablets (GTIN code: 03700454507755).

*These information are only approved for France.
Keep out of reach of children.*

*Laboratoire TVM
January 7th 2020*